



- NOTES:
1. MATERIAL:
    - 1.1 HOUSING: THERMOPLASTIC, HIGH TEMP.,UL94V-0; COLOR: BLACK
    - 1.2 CONTACTS: COPPER ALLOY.
  2. FINISH:
    - 2.1 CONTACT: SELECTIVE GOLD PLATING ON THE CONTACT AREA. 100μ" MIN. MATTE TIN PLATING ON THE SOLDER TAILS, 50μ" MIN. NICKEL UNDERPLATING OVERALL.
  3. PRODUCT SPEC.: PS-3GIO-01
  4. FOR WAVE SOLDER APPLICATION ONLY



PART NO.

AF 3160 X 0 X X 0 T

HSG Color: 1: Black

Peg Option: 0: Post



Packing Options: T: Tray


Tail Length (DIM "E"):

- 1: 3.10 mm
- 2: 2.54 mm

Contact Plating:

- 0: 30u" Gold
- 1: 15u" Gold
- 2: 1u" Gold


				TOLERANCE				TITLE: PCI EXPRESS CARD EDGE 230P				
				LINEAR	ANGLES			DWG NO. C-3160				
				X.±0.40	X°.± 3°							
				.X±0.30	.X°±	APPD: John	MAT'L:					
0	---	Terry	Jul,08,2015	.XX±0.20	.XX°±	CHKD: Schumi	FINISH:		UNITS	SCALE	SHEET	REV
REV	ECN NO.	NAME	DATE	.XXX±0.10	.XXX°±	DRWN: Jason	Q'TY:		MM	1 : 1	1 OF 3	0







### ADD-IN CARD EDGE-FINGER DIMENSIONS

← I/O PANEL DIRECTION

### RECOMMENDED FOOTPRINT

TITLE:				
PCI EXPRESS CARD EDGE 230P				
DWG NO.				
C-3160				
	UNITS	SCALE	SHEET	REV
	MM	1 : 1	2 OF 3	0

	SEE SHEET 1		
REV	ECN NO.	NAME	DATE



SHIPPING CARTON

NOTES:

1. TRAY COVER SIZE: 329.5mm(L)X 170mm(W)X 20mm(H).
2. TRAY SIZE: 328.5mm(L)X 170mm(W)X 20mm(H).
3. BOX SIZE: 340mm(L)X 187mm(W)X 210mm(H).
4. CARTON SIZE: 576mm(L)X 350mm(W)X 232mm(H).
5. NET WEIGHT: 8.7 Kg.
6. GROSS WEIGHT: 10.4 Kg.

	SEE SHEET 1		
REV	ECN NO.	NAME	DATE

TOLERANCE	
LINEAR	ANGLES
X.±0.20	X'± 3°
.X±0.15	.X'±
.XX±0.10	.XX'±
.XXX±0.05	.XXX'±



APPD:	John	MAT'L:	
CHKD:	Schumi	FINISH:	
DRWN:	Jason	Q'TY:	

TITLE: PCI EXPRESS CARD EDGE 230P

DWG NO. C-3160

UNITS	SCALE	SHEET	REV
MM	1 : 1	3 OF 3	0

CUSTOMER